



Product Service

Attestation of Conformity

No. E8A 126875 0003 Rev. 00

Holder of Attestation: **Atmoce Holding B.V.**

Singel 250
1016 AB Amsterdam
THE NETHERLANDS

Name of Object: **PV inverter
Microinverter**

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 4840923338800

Date, 2024-06-18

(Ming Gu)

Page 1 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. E8A 126875 0003 Rev. 00

Model(s): MI-360, MI-380, MI-400, MI-425, MI-450, MI-500

Description of Object:

Model	MI-360	MI-380	MI-400
DC Input			
PV Max. Input Voltage:	60Vd.c.		
PV MPPT Range:	16-60Vd.c.		
Max. Input Continuous Current:	16 A		
Max. Input Short-circuit Current:	20 A		
AC Output			
Output Nominal Voltage:	230V		
Output Nominal Frequency:	50Hz		
Output Nominal Power:	360W	380W	400W
Max. Output Current:	1.65A	1.73A	1.83A
Power Factor	0.8(leading)-0.8(lagging)		
General			
Overvoltage Category:	II(DC)/III(AC)		
Operating Temperature Range	-40...+65°C		
Relative Humidity	4-100%		
Protection Class:	II		
Enclosure:	IP67		

Page 2 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. E8A 126875 0003 Rev. 00

Model	MI-425	MI-450	MI-500
DC Input			
PV Max. Input Voltage:	60Vd.c.		
PV MPPT Range:	16-60Vd.c.		
Max. Input Continuous Current:	16 A		
Max. Input Short-circuit Current:	20 A		
AC Output			
Output Nominal Voltage:	230V		
Output Nominal Frequency:	50Hz		
Output Nominal Power:	425W	450W	500W
Max. Output Current:	1.94A	2.06A	2.28A
Power Factor	0.8(leading)-0.8(lagging)		
General			
Overvoltage Category:	II(DC)/III(AC)		
Operating Temperature Range	-40...+65°C		
Relative Humidity	4-100%		
Protection Class:	II		
Enclosure:	IP67		

Tested according to:

- EN IEC 61000-6-1:2019
- EN IEC 61000-6-2:2019
- EN IEC 61000-6-3:2021
- EN IEC 61000-6-4:2019
- EN 62920:2017/A1:2021

Page 3 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.